

Chemora! Hands On Exercises

Steven R. Brandt¹

David M. Koppelman²

Louisiana State University

¹ Division of Computer Science

² Division of Electrical & Computer Engineering

Center for Computation and Technology

EDL: Equation Definition Language

- Easy to parse
- Easy to read
- Uses English begin/end for blocks
- Specifies parts of the thorn, where to run

EDL: Equation Definition Language

- Equations typed in “natural” form
 - ◇ * or space means multiply (but not newline)
 - ◇ parenthesis are used to group or call a function
 - ◇ D_x means partial x derivative
 - ◇ D_t means partial t derivative, use on the LHS
 - ◇ ^ is used for upper indices, _ is for lower
 - ◇ ** is used for exponents
 - ◇ implied summation is used
- “Natural” means different things to different people

A Basic EDL Script

```
begin thorn SimpleWaveScriptCaKernel

use cakernel

# This is a comment

begin parameters
  amp : real "The amplitude of the wave",
        default: 1.0, range: -infinity to infinity
  kfac : real "The wave number", default: 2 PI, range: 0 to 10 PI
  c0 : real
end parameters

begin calculation initial_sine_calc scheduled at initial
  phi = amp      sin(kfac x) cos( kfac c0 t)
  pi  = -amp c0 kfac sin(kfac x) sin( kfac c0 t)
end calculation
```

A Basic EDL Script

```
begin calculation calc_rhs scheduled at MoL_CalcRHS
```

```
  D_t phi = pi
```

```
  D_t pi = c0**2 D_xx phi
```

```
end calculation
```

```
begin calculation calc_bound_rhs scheduled at MoL_CalcRHS on boundary
```

```
  D_t phi = pi
```

```
  D_t pi = -c0**2 kfac**2 phi
```

```
end calculation
```

```
begin variables
```

```
  phi pi
```

```
end variables
```

```
end thorn
```

Setting Up

Login to Shelob (shelob.hpc.lsu.edu)

User Name: (hpctrn01 to hpctrn20)

Password (see board)

Your .soft should contain +mathematica-9.0

After adding it, type “resoft”

```
cd /work/$LOGNAME/ChemoraET15
```

Modifying the Wave Equation

```
sh edl_wave.sh
```

Edit the file

```
make
```

```
qsub -I -l walltime=0:05:00 -l nodes=1:ppn=16 -q checkpt
```

```
cd /work/$LOGNAME/ChemoraET15
```

```
mpirun -np 1 ./exe/cactus_sim simplewave.par
```

```
exit # Neither “vi” nor “make” work properly on a compute node
```

Visualizing the Data


After running you should have files such as `./simplewave/phi.xl`

You can visualize them with `gnuplot`

```
$ scp hpctrn01@shelob.hpc.lsu.edu:/work/hpctrn01/ChemoraET15/simplewave/phi.xl .
```

```
gnuplot> plot "phi.xl" i 0 using 10:13 with linespoints
```

```
gnuplot> plot "phi.xl" i 1 using 10:13 with linespoints
```



Visualizing the Data

Alternatively, create a movie with `wave_movie.pl`

Use `scp` to fetch it from `shelob` on `/home/sbrandt/bin/wave_move.pl`

type “`wave_movie.pl file`” to create a movie using `gnuplot` and `men-coder`.

Suggested Edits

Replace “D_xx” with “Euc^{ij} D_ij”

Modify the RHS, “D_t phi = pi + vamp exp(-sigma ((x-xv0)**2))”

...add parameters such as vamp as needed

Set “D_t pi = boundx” in the boundary condition

boundx = -1, 0, or 1

Show Tuning Decisions

Try uncommmenting the show tuning flag:

```
CaKernel::dynamic_compile_show_tuning_decisions = yes
```

```
Calculation initial_sine_calc finalized.
```

```
Total 141, (vis,ctc,ident, eable,remap) (9,29,1, 6,0)
```

```
Optimizations: (ident_op, zero_mult, neg_mult) (1,0,0)
```

```
: (comb,distr,cfact) (0,0,0)
```

```
INFO (CaCUDALib): Chemora Code Generation Report for initial_sine_calc
```

:	Tile	Iter	B	FP/Insn	IK	Elts	Issue	Data	Lat	ET	OV	H/I
0:	120,	8,	1	10 z G	2/ 3	0	3.0	0.1	1.0	0.5	7.1	0 1.00
Total of	1	(0)	2/ 3	0	3.0	0.1	1.0	0.5	7.1		